

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/553,132	10/14/2005	Raymond Hesline	HESL0101PUSA	1661
22045 BROOKS KUS	7590 05/04/2007 SHMAN P.C.		EXAMINER	
1000 TOWN CENTER			CHAPEL, DEREK S	
TWENTY-SECOND FLOOR SOUTHFIELD, MI 48075			ART UNIT	PAPER NUMBER
			2872	
				
			MAIL DATE	DELIVERY MODE
			05/04/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)	
Notice of Non-Compliant	10/553,132	HESLINE, RAYMOND	
Amendment (37 CFR 1.121)	Examiner	Art Unit	
,	Derek S. Chapel	2872	
The MAILING DATE of this communication a			
The amendment document filed on <u>20 February 2007</u> requirements of 37 CFR 1.121 or 1.4. In order for the item(s) is required.			l
THE FOLLOWING MARKED (X) ITEM(S) CAUSE TH 1. Amendments to the specification: A. Amended paragraph(s) do not inclu B. New paragraph(s) should not be un C. Other	de markings.	NT TO BE NON-COMPLIANT:	
2. Abstract:A. Not presented on a separate sheet.B. Other	37 CFR 1.72.	·	
 3. Amendments to the drawings: A. The drawings are not properly ident "Annotated Sheet" as required by 3 	7 CFR 1.121(d).		
□ B. The practice of submitting proposed showing amended figures, without i□ C. Other			
number by using one of the followir (Previously presented), (New), (Not D. The claims of this amendment paper E. Other: <u>See Continuation Sheet.</u>	le the text of all pending clai with the proper status identif Note: the status of every cl ng status identifiers: (Origina t entered), (Withdrawn) and er have not been presented	er, and as such, the individual status aim must be indicated after its claim l), (Currently amended), (Canceled), (Withdrawn-currently amended) n ascending numerical order.	
5. Other (e.g., the amendment is unsigned o	r not signed in accordance v	Vitn 37 CFR 1.4):	
For further explanation of the amendment format requ	uired by 37 CFR 1.121, see	MPEP § 714.	
TIME PERIODS FOR FILING A REPLY TO THIS NO	TICE:		
 Applicant is given no new time period if the non- filed after allowance. If applicant wishes to resub entire corrected amendment must be resubmitted. 	mit the non-compliant after-		
 Applicant is given one month, or thirty (30) days, correction, if the non-compliant amendment is one (including a submission for a request for continue amendment filed within a suspension period under Quayle action. If any of above boxes 1. to 4. are on non-compliant amendment in compliance with 37 	e of the following: a prelimin d examination (RCE) under er 37 CFR 1.103(a) or (c), ar checked, the correction requ	ary amendment, a non-final amendme 37 CFR 1.114), a supplemental id an amendment filed in response to	ent a
Extensions of time are available under 37 CF amendment or an amendment filed in response		ompliant amendment is a non-final	
Failure to timely respond to this notice will re Abandonment of the application if the non- filed in response to a Quayle action; or Non-entry of the amendment if the non-cor	-compliant amendment is a i		nt
amendment	•	571-272-8042	
- WILL CHANGE			_

Telephone No.

Continuation of 4(e) Other: The amended claims received on 2/20/2007 are not a properly amended. The applicant is reminded that the amended claims received on 11/20/2006 were not entered and the applicant should be making amendments to the preliminarily amended claims received on 10/14/2005. For example, the claims received on 2/20/2007 are not proper because, "combining polarized beams into an output" is in claim 1 twice and is not underlined when the claims from 10/14/2005 only claimed "combining polarized beams into an output" once. The examiner requests that the applicant double check any further amendments to the claims before submission to the USPTO to ensure compliance.

Stephone B. Allen

Supervisory Patent Examiner